

Request for Proposal

Industry Briefing

February 18-20, 2003





California Institute of Technology 4800 Oak Grove Drive Pasadena, California 91001



Program Overview
Peter E. Doms, DSMS Program Manager

Topics

- Purpose and Scope of DSMS
- Program Overview
- DSMS Characteristics
- DSMS Facilities
- DSMS Mission Set
- External Interfaces
- Process Map
- Organization Chart
- The Vision
- The Interplanetary Network




Purpose and Scope of DSMS

- The overall purpose of the Deep Space Mission System (DSMS) Program is to enable OSS missions by providing:
 - Cost-effective and reliable telecommunications services
 - Cost-effective and reliable mission-operations tools, services, and engineering support
 - Extensions of telecommunications and mission-operations capabilities
 - End-to-end (flight, ground, and link)
 - Portions of an interplanetary network
 - New technologies for telecommunications and mission operations
 - Must lead the mission set not follow it!
- The primary architectural components of DSMS include:
 - The Deep Space Network (DSN) and the
 - Advanced Multi-Mission Operations System (AMMOS)



Program Overview The DSMS Provides Services and Tools to Flight Projects






DSMS Characteristics

- DSMS provides services, tools, and engineering support to:
 - 35 to 40 active missions per year
 - 30 to 50 planning interfaces per year
- Must maintain a 10 to 20-year planning horizon
 - Support full life cycle
 - Concept
 - Technology
 - Design
 - Development
 - Operation
 - Phase-out


DSMS Characteristics (Cont'd)

- Sustain legacy mission support while evolving for new missions
 - Must be maintained as a precision calibrated instrument
 - Compounding number of interfaces
- Always on available 24 x 7 to support missions
- Geographically distributed
 - Multiple U.S. and overseas locations
 - Some sites operate as small towns self-contained infrastructure
 - Government-to-Government treaties
- Multiple funding interfaces

DSMS - World Wide Facilities



DSN Facilities – Deep Space Communications Complexes





Madrid
Operated by
INSA for INTA



Goldstone Operated by CSOC for NASA/JPL

Canberra
Operated by
BAE
Systems for
CSIRO



DSN Facilities (Cont'd)

- Other Contractor-operated DSN facilities include:
 - MIL 71: located at MILA; staffed as required for spacecraft compatibility verification and pre-launch testing
 - DTF 21: located at Bldg. 605 just south of JPL; supports compatibility testing and development testing
 - CTT 22: a mobile compatibility test trailer; supports RF and data compatibility tests
 - Central Communications Terminal: Bldg. 230; provides voice and data communications interconnections
 - Deep Space Operations Control Center: Bldg. 230; provides support data and technical information to the DSCCs and projects and to process data for delivery to projects
 - Remote Operations Support Area: at Bldg. 507 (CSOC Facility); supports mission critical events
 - DSN Logistics Facility: at Bldg. 504 (CSOC Facility); supports modkit handling, inventory and shipping/receiving, and vendor repair



Approved Mission Set: DSN Supports*

LEGACY LEO

HEO, Lunar, L1 & L2

DEEP SPACE***

RADARSAT (O)

LEOP**

- GOES N-Q (C)
- NOAA . N. N' (C)
- TDRS J (C)
- PROSEDS (C)
- SOLAR-B (F)

- CHANDRA (O)
- MAP (O)
- INTEGRAL (O)
- ISTP-GEOTAIL (O)
- ISTP-WIND (O)
- ISTP-SOHO (O)
- ISTP-POLAR (O)
- ACE (O)
- IMAGE (O)
- ISTP-CLUSTER II (O)
- GENESIS (O)
- LUNAR-A (F)
- SELENE (F)
- ST-5 (C)

NOTES

- *~21 additional spacecraft fall under "Emergency Support Only" and are not shown.
- **LEOP = Launch & Early Operations Phase; almost all DSN missions receive such support, but those listed as "LEOP" receive no other significant DSN support.
- ***Deep Space includes missions utilizing Earth leading and trailing orbits, since spacecraft in such orbits drift out well beyond Lagrange point distances.
- ****Support assumes the form of ground-based observations for mission reference ties (e.g., GP-B), VLBI co-observations, radio astronomy, solar system radar, or orbital debris.

 Program Overview

- GALILEO (O)
- MARS GLOBAL SURVEYOR (O)
- CASSINI (O)
- NOZOMI (O)
- STARDUST (O)
- 2001 MARS ODYSSEY (O)
- GSSR (O)****
- MUSES-C (C), (F per MSD)
- MARS EXPRESS (C)
- MARS EXPLORATION ROVERS A & B (C)
- ROSETTA (C)
- DEEP IMPACT (C)
- MESSENGER (C)
- MARS RECONNAISSANCE ORBITER (C)
- DAWN (C)
- MARS SCOUT (F)
- MARS PREMIER/NET LANDERS (F)
- MARCONI (F)
- MARS SCIENCE LABORATORY (F)

- NEW FRONTIERS (F) (X)
- GRAVITY PROBE B (O)****
- EVN (O)****
- GBRA (O)****
- MEGA (O)****
- SIRTF (C)
- KEPLER (C)
- SIM (F)
- VOYAGERS 1 & 2 (O)
- ULYSSES (O)
- STEREO A & B (C)
- PN10-TECH (O)
- ORBITAL DEBRIS (O)
- SPACE GEODESY (O)
- DISCOVERY (F) (X)
- MIDEX (F) (X)
- NMP (F) (X)

KEY


- Structure & Evolution of Universe Theme
- Sun-Earth Connection Theme
- Astronomical Search for Origins Theme
- Cross-Theme Affiliation
- Exploration of the Solar System Theme
- Unaffiliated with Space Science Enterprise

- (O) = Operating (as of 1/03)
- (C) = Commitment to support, but not yet operating (as of 1/03)
- (F) = Future commitment to support anticipated (as of 1/03)
- (X) = Not specifically called out in Code S approved "Mission Set Database" or "Mission Set Change Log"


 PED 10



External Interfaces




DSMS Process Map



Program Overview





^{*} JPL support to civil-servant COTRs



The Vision

Build the Interplanetary **Network** Backbone

Develop the Tools &

Techniques Needed to


Operate with this

Backbone


DSN Technology

Modernize

Pioneer **Optical Comm**



Network Space Comm Assets



 Standards & Protocols S/C Comm Components

Mission Operations

RF & Optical



Interplanetary Network






Provide Core Multi-Mission Ops Systems & Software



Revolutionize Mission **Operations**



Advance Mission Design & Nav





The Interplanetary Network

